


NUMBER OF WET PONDS


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

PONDS / SQ MILE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

WETLAND DENSITY*


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

AVERAGE WETLAND SIZE*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*ACRES

MALLARD BREEDING PAIRS


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BW TEAL BREEDING PAIRS


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BREEDING PAIRS ALL SPECIES*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 13 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, PINTAIL, WIGEON, GREEN-WINGED TEAL, WOODDUCK, REDHEAD, CANVASBACK, L SCAP, RINGNECK, RUDDY DUCK)

MALLARD PAIRS / POND


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BW TEAL PAIRS / POND


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

PAIRS / POND ALL SPECIES*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 13 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, PINTAIL, WIGEON, GREEN-WINGED TEAL, WOODDUCK, REDHEAD, CANVASBACK, L. SCAUP, RINGNECK, RUDDY DUCK)

MALLARD PAIRS / SQ MILE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BW TEAL PAIRS / SQ MILE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

PAIRS / SQ MILE ALL SPECIES*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 13 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, PINTAIL, WIGEON, GREEN-WINGED TEAL, WOODDUCK, REDHEAD, CANVASBACK, L. SCAUP, RINGNECK, RUDDY DUCK)

NUMBER OF MALLARD RECRUITS PRODUCED


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

NUMBER OF BW TEAL RECRUITS PRODUCED


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

NUMBER OF RECRUITS PRODUCED*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 5 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, AND PINTAIL)

MALLARD RECRUITS / SQ MILE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BW TEAL RECRUITS / SQ MILE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

RECRUITS / SQ MILE ALL SPECIES*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 5 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, AND PINTAIL)

MALLARD RECRUITMENT RATE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

BW TEAL RECRUITMENT RATE


MINNESOTA PRAIRIE POTHOLE REGION



DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

RECRUITMENT RATE*

MINNESOTA PRAIRIE POTHOLE REGION




DATA VALUES ARE FOR THE PPR ONLY. 1987 and 1988 data are for Agassiz Ridge, Border Prairie, and MN River Headwaters Prairie Area's.

*DATA VALUES ARE FOR 5 SPECIES (MALLARD, GADWALL, BLUE-WINGED TEAL, SHOVELER, AND PINTAIL)

OWNERSHIP COMPOSITION*

MINNESOTA PRAIRIE POTHOLE REGION



*DATA PRESENTED ARE FROM REPRESENTATIVE 4 SQ. MILE PLOTS IN THE PRAIRIE POTHOLE REGION ONLY.

**PRIVATE OWNERSHIP CATEGORY ALSO INCLUDES STATE AND OTHER NGO CONSERVATION OWNERSHIPS.

***EASEMENT AND FEDERAL OWNERSHIP CATEGORIES ARE BASED ON SAMPLE PLOTS WHERE A MINIMUM OF 160 ACRES ARE IN U.S. FWS EASEMENT OR FEE OWNERSHIP.

